### ЛЕКЦИИ

## PSYCHOPHYSIOLOGY OF BRAIN PLASTICITY, LEARNING ABILITIES, LEARNING DISABILITIES AND ADHD

#### **Constantine A Mangina**

President, International Organization of Psychophysiology, Associated with the United Nations (New York) Director, Montreal Research and Treatment Center for Learning Abilities and Disabilities, Cognitive Psychophysiology Laboratory, Montreal, Canada.

Research over the years with the Mangina Diagnostic Tool of Visual Perception (Mangina-Test) has shown that increasing degrees of «analytical-specific perceptual skills» are fundamental for learning new and more complex tasks (Mangina, 1981, 1986, 1989, 1991, 1994 a, b, c, 1998: Mangina and Beuzeron-Mangina, 1988, 1992a, b, 2004a, b, 2006; Mangina et al., 1998, 2000; Mangina and Sokolov, 2006). Moreover, Functional Magnetic Resonance Imaging (fMRI) investigations were undertaken in young healthy adults and revealed the neural correlates underlying «analytical-specific visual perception» in terms of task difficulty and specificity of the stimuli (Mangina et al., 2008 a, b, 2009 a, b, (in press)).

With large samples of children and adolescents, we had also identified and standardized the bilateral electrodermal parameters of learning disabled subjects and those with normal neurocognitive abilities (Mangina and Beuzeron-Mangina, 1992a). The intracerebral representation of neural modulators of human electrodermal phenomena was investigated for the first time with the direct electrical stimulation of the brain and the concomitant recording of bilateral electrodermal activity (Mangina and Beuzeron-Mangina, 1996). It was found that, among the 32 sites investigated, the anterior cingulate gyri, the amygdalae and the anterior and posterior hippocampi are potent ipsilateral modulators of bilateral electrodermal responses as opposed to neocortical sites such as the mid-regions of the second temporal gyri (Mangina and Beuzeron-Mangina, 1996). Manipulations of bilateral electrodermal activity coupled with stimulation using «analytical-specific perceptual tasks» (derived from the Mangina-Test), have been applied within a complex psychophysiological treatment methodology for learning disabilities and the improvement of neurocognitive abilities (Mangina, 1986, 1989, 1991, 1997; Mangina and Beuzeron-Mangina, 1988, 1992 a, b, 1998, 2004 a, b). During this psychophysiological treatment procedure, manipulation and maintenance of bilateral electrodermal activation within the identified and standardized range of 6.5 - 8.5 umbos simultaneously combined with «analytical – specific perceptual stimulation» contribute to the enhancement of pre-frontal and frontal N450 event-related brain potentials (ERPs) in treated learning disabled /ADHD subjects after eight consecutive months of treatment (Mangina and Beuzeron-Mangina, 2004 a, b). In contrast, learning disabled / ADHD subjects who were not treated, exhibited the same ERP irregularities at baseline and eight months later in spite of having received special education interventions within the same time interval (Mangina and Beuzeron-Mangina, 2004 a, b). Thus, those results suggested that time and / or maturation per se did not play a role in improving ERP topography and neurocognitive abilities. Rather, brain plasticity as expressed in ERP topographic mapping is involved in the improvement of treated learning disabled / ADHD subjects <u>due</u> to the direct <u>impact</u> of specific methodological intervention which alters the functional neuroanatomy and electrophysiology of the human brain (Mangina and Beuzeron-Mangina, 2004 a, b; Mangina and Sokolov, 2006).

Furthermore, Mangina-Test performance differences and Topographic Mapping of Event -Related Brain Potential indicants along with bilateral electrodermal parameters were found to delineate normal subjects, «pure» learning disabled, «pure» ADHD and comorbid ADHD with learning disabilities (Mangina and Beuzeron-Mangina, 2006, 2008, 2009 - in press). Thus, <u>enhanced</u> prefrontal and frontal <u>negativities</u> (N450) to our Memory Workload Paradigm seem to be robust markers of normal learning abilities. In contrast, <u>reduced negativities</u> (N450) over these regions are associated with «Pure» ADHD. On the other hand, «Pure» learning disabled pre-adolescents exhibited <u>small</u> <u>positivities</u> (P450) over prefrontal and frontal regions. Further research with fMRI indicants of the Mangina-Test investigating these four groups is currently being conducted.

The results will also be discussed within a brain plasticity model of inhibitory control, the normal development of learning abilities and the psychophysiological treatment of learning disabilities. All these aspects lead to the conclusion that school / academic learning abilities reflect increasing degrees of neurocognitive skills necessary for the acquisition of new and more complex knowledge. In contrast, learning disabilities are composed of persisting specific impairments in the complete acquisition of age – appropriate mathematics, reading / comprehension, written expression, or any other subject of cognitive endeavor despite «normal» or «quasi- normal» intelligence. Moreover, very subtle learning disabilities, which may go undetected, are very frequent in the general population. In recent years however, another equally serious problem, namely Attention Deficit Hyperactivity Disorder (ADHD) attracted most emphasis. Although learning disabilities and ADHD are two distinct pathologies, they may co-exist in the same person. As such, the understanding and differentiation of a «pure» learning problem from a «pure» ADHD is of paramount importance as is the detection of these two pathologies when both are present. Hence, a methodological framework taking into account the differences and the complexity of overlapping similarities of symptoms, is pivotal in helping those suffering from either one of the two or from both of these conditions.

### **References:**

Mangina, C.A. 1981. Mangina Diagnostic Tool of Visual Perception: for Diagnosing Specific Perceptual Learning Abilities and Disabilities. Int. Sch. Psy. Ass., OH, U.S.A.

Mangina, C.A. 1986. Clinical Investigation of a psychophysiological treatment method for learning disabilities. *International Journal of Psychophysiology*, 4: 252–253.

Mangina, C.A. 1989. Developmental Psychophysiology of learning abilities and disabilities: effective diagnosis and treatment. International Journal of Psychophysiology, 7: 305–306.

Mangina, C.A. 1991. Reversibility versus irreversibility in the psychophysiological development of learning abilities and disabilities. International Journal of Psychophysiology, 11: 56.

Mangina, C.A. 1994a. *Mangina Diagnostic Tool of Visual Perception: for Diagnosing Specific Perceptual Learning Abilities and Disabilities*. 2nd Edition, Lawrence Erlbaum Publishers, New Jersey, U.S.A.

Mangina, C.A. 1994b. *Manual for the Mangina Diagnostic Tool of Visual Perception: for Diagnosing Specific Perceptual Learning Abilities and Disabilities*. 2nd Edition, Revised and Expanded. Lawrence Erlbaum Publishers, New Jersey, U.S.A.

Mangina, C.A. 1994c. Correction Key for the Mangina Diagnostic Tool of Visual Perception: for Diagnosing Specific Perceptual Learning Abilities and Disabilities. 2nd Edition, Revised and Expanded. Lawrence Erlbaum Publishers, New Jersey, U.S.A.

Mangina, C.A. 1997. Controlled research and evidence in the psychophysiological diagnostic evaluation and therapeutic treatment for learning disabilities. *International Journal of Psychophysiology*, 25: 26–27.

Mangina, C.A. 1998. *Manual for the Mangina Diagnostic Tool of Visual Perception: for Diagnosing Specific Perceptual Learning Abilities and Disabilities*. 3rd Edition, Revised and Expanded. Lawrence Erlbaum Publishers, New Jersey, U.S.A.

Mangina, C.A. and Beuzeron-Mangina, J.H. 1988. Learning abilities and disabilities: effective diagnosis and treatment. *International Journal of Psychophysiology*, 6: 79–89.

Mangina, C.A. and Beuzeron-Mangina, J.H. 1992a. Identification and standardization of bilateral electrodermal parameters of learning abilities and disabilities. *International Journal of Psychophysiology*, 12: 63–69.

Mangina, C.A. and Beuzeron-Mangina, J.H. 1992b. Psychophysiological treatment for learning disabilities: controlled research and evidence. **International Journal of Psychophysiology**, 12: 243–250.

Mangina, C.A. and Beuzeron-Mangina, J.H. 1996. Direct electrical stimulation of specific human brain structures and bilateral electrodermal activity. *International Journal of Psychophysiology*, 22: 1–8.

Mangina, C.A. and Beuzeron-Mangina, J.H. 1998. Novel and effective clinical applications of bilateral electrodermal activity and its intra-cerebral modulators in humans: controlled research and evidence. *International Journal of Psychophysiology*, 30: 90.

Mangina C.A. and Beuzeron-Mangina J. H. 2004a. Brain plasticity following Psychophysiological treatment in learning disabled / ADHD pre-adolescents. *International Journal of Psychophysiology*. 52: 129–146.

Mangina C.A. and Beuzeron-Mangina J. H. 2004b. Psychophysiological treatment and brain plasticity in learning disabled / ADHD pre-adolescents as compared to non-treated controls and normals within the same temporal intervals. International Journal of Psychophysiology 54:(1–2): 15–16

Mangina C.A. and Beuzeron-Mangina J. H. 2006. Memory Workload Paradigm, Event-Related Brain Potentials, Bilateral Electrodermal activity and Mangina-Test in «Pure»Learning Disabilities as Compared to Comorbid Pathologies with ADHD and Age-Matched Normal Controls. *International Journal of Psychophysiology* 61:(3): 303.

Mangina C.A. and Beuzeron-Mangina J. H. 2008. What, why and how to describe «Pure» ADHD, comorbid ADHD with learning disabilities, «Pure» learning disabilities and normals? *International Journal of Psychophysiology* 69: 148–149.

Mangina C.A. and Beuzeron-Mangina J. H. 2009. Similarities and differences between learning abilities, «pure» learning disabilities, «pure» ADHD and comorbid ADHD with learning disabilities. *International Journal of Psychophysiology* (in press).

Mangina C.A. and Sokolov E. N. 2006. Neuronal plasticity in memory and learning abilities: Theoretical position and selective review. *International Journal of Psychophysiology* 60: (3): 203–214

Mangina, C.A., Beuzeron-Mangina, J.H., Grizenko, N. and Guillä, J.M. 1998. Endogenous event-related brain potentials, bilateral electrodermal activity and «Analytical-Specific Perception» (Mangina-Test) in learning disabled pre-adolescents with severe behavioral disorders. *International Journal of Psychophysiology*, 30: 31.

Mangina, C.A., Beuzeron-Mangina, .H. and Grizenko, N. 2000., Event-related brain potentials, bilateral electrodermal activity and Mangina-Test performance in learning disabled / ADHD pre-adolescents with severe behavioral disorders as compared to agematched normal controls. *International Journal of Psychophysiology*, 37: 71–85.

Mangina, C.A., Beuzeron-Mangina, H, Ricciardi, E., Pietrini P., Chiarenza G. A., Casarotto S. 2008 a. Neural correlates of «analytical-specific visual perception» as investigated by the Mangina-Test: A functional magnetic resonance imaging study in young healthy adults. *International Journal of Psychophysiology* 69: 146–147.

Mangina, C.A., Beuzeron-Mangina, H., Casarotto S., Chiarenza G. A., Pietrini P., Ricciardi, E. 2008 b. Modulation of specific brain activity by very subtle geometrical perceptual relationships of the Mangina-Test: A functional magnetic resonance imaging study in young healthy adults. *International Journal of Psychophysiology* 69: 147.

Mangina, C.A., Beuzeron-Mangina, H, Ricciardi, E., Pietrini P., Chiarenza G. A., Casarotto S. 2009 a. Neural correlates of «analytical-specific visual perception» and degree of task difficulty as investigated by the Mangina-Test: A functional magnetic resonance imaging study in young healthy adults. *International Journal of Psychophysiology* (in press)

Mangina, C.A., Beuzeron-Mangina, H.,, Casarotto S., Chiarenza G. A., Pietrini P., Ricciardi, E. 2009b. Modulation of specific brain activity by the perceptual analysis of very subtle geometrical relationships of the Mangina-Test stimuli: A functional magnetic resonance imaging investigation in young healthy adults. *International Journal of Psychophysiology* (in press).

# ФУНКЦИОНАЛЬНОЕ РАЗВИТИЕ МОЗГА, ПОЗНАВАТЕЛЬНАЯ ДЕЯТЕЛЬНОСТЬ И ОБУЧЕНИЕ В ПРЕДШКОЛЬНОМ И МЛАДШЕМ ШКОЛЬНОМ ВОЗРАСТЕ

#### Безруких М.М.

Институт возрастной физиологии PAO, Москва, Россия ivfrao@yandex.ru

Последние десятилетия являются периодом повышенного интереса к изучению мозга ребенка, интереса к его развитию, функционированию, особенностям мозговой